# VEHICLE INSPECTION TESTERS

**EXCLENS** 

A(SIDE SLIP TESTER) B(ROLLER BRAKE TETSER) S(SPEEDO METER) PLAY DETECTOR SUSPENSION TESTER HEAD LIGHT TESTER GAS ANALYZER OPACITY METER



exclenis

# **&**KOENG



### **Features**

Koeng's vehicle side slip tester. KEA is a modern equipment for inspection of the amount of camber and toe when 4 wheels are driving simultaneously. The vehicles weighing up to 15 tons can be inspected. (Optional for 3T, 10T, 15T)

It can work as a part of the integrated Koeng ABS lane such KEA(Side slip tester), KEB(Roller brake tester), KES(Speedometer tester). The testing results can be displayed with 2 types of control system. ABS Combi Con. is the economical control unit with LED indicator and ABS Smart-Con. is the PC based control unit.

- Using of reinforced steel, strengthen and durable structure body (Strong channel)
- Construction protected against corrosion
- Strong and reliable in ground type
- Display indicator (PC or LED Indicator depending on the configuration of the system)

### Applicable

A wide range of outstandingly sturdy and easy to operate. For every vehicle type including cars, commercial vehicles, trucks, buses, tractors, trailers as well as 4 wheel drive vehicle and weight class.

## Technical Data -

| Specifications | mayyor  | v for | norfomanco | and | auplity |
|----------------|---------|-------|------------|-----|---------|
| specifications | may ver | y 101 | penomance  | anu | quality |

| Model               | KEA-3000                    | KEA-10000                   | KEA-15000                   |  |
|---------------------|-----------------------------|-----------------------------|-----------------------------|--|
| Maximum axle weight | 3,000 kgf                   | 10,000 kgf                  | 15,000 kgf                  |  |
| Plate size(L X W)   | 750 x 500 mm                | 750 x 500 mm                | 750 x 500 mm                |  |
| Measurable range    | IN/OUT 0.0-15.0 m/km        | IN/OUT 0.0-15.0 m/km        | IN/OUT 0.0-15.0 m/km        |  |
| Measuring type      | Potentiometer               | Potentiometer               | Potentiometer               |  |
| Indication          | F.N.D alarm & Lamp          | F.N.D alarm & Lamp          | F.N.D alarm & Lamp          |  |
| Dimension (LxDxW)   | 2,840x610x150mm (Auto)      | 3,290x610x150mm(Auto)       | 3,290x610x150mm(Auto)       |  |
|                     | 2,540x610x150mm             | 2,990x610x150mm             | 2,990x610x150mm             |  |
| Power supply        | AC 110V/220V, 1ph, 50Hz/ Hz | AC 110V/220V, 1ph, 50Hz/ Hz | AC 110V/220V, 1ph, 50Hz/ Hz |  |

The Excellent Company Brand of Seoul



#### KOENG CO., LTD. www.koeng.com

Add : B-806, SK Twintech, 119 Gasan digital 1-ro, Geumcheon-gu, Seoul, Korea T : +82 2 838 6300 F: +82 2 839 4700 E-mail: export@koeng.com

# **ABS CONTROL STYSTEM**



### **Features**

Koeng provides advanced total complete line of vehicle inspection lane, such as Side slip tester(KEA), Roller brake tester(KEB), Speedometer tester(KES), head light tester(KEH), Play detector(KEP), Suspension tester(KEU), Motorcycle tester(KEM) and Gas analyzer(KEG), Opacity meter(OP).

Koeng's vehicle control measuring system is a modern equipment for inspection of vehicles. The testing results can be displayed with 2 types of control system.

ABS SMART Con. is the PC based control unit and ABS Combi Con. is the economical control unit with LED indicator.

### SMART CON-100. (Automatic PC control unit)

The SMART CON is an advanced and reliable management system that can send testing data to the central control center (Main server) through the Internet and perform inspection management of vehicles completely.

The SMART CON-100 is the new modern KOENG free-standing console desk for ABS test lanes. It is designed as a working desk for the operator to enter customer data, analysis test results, make a printout or transfer data. A parallel display can be connected. Real time values are displayed in parallel to the secondary monitor and can be used by the operator as a read-out unit while testing a vehicle.

Standard supply list : PC with Windows and software, 24" widescreen PC monitor, printer, keyboard, mouse, infra-red remote-control handset, UPS, secondary 27" widescreen monitor with the stand post

- Automatic operating by PC
  User friendly operation menu
  Customized result report and graph
- Test of axle-load /wheel resistance/Max. braking force/Side slip tester/Speedometer test
- Software : A powerful software system integrated of login in program, Operation control, System configuration, Result print, User management, Database management, calibration program etc.



ABS COMBI. CON-10 (LED Control umit)

### The ABS COMBI. CON-10 (LED control unit)

It is the measuring system and display for ABS testers(Side slip tester KEA ,Roller brake tester KEB and Speedometer tester (KES). LED result display, the most cost saving and effective body design. At the end of the inspection, it produces a "Safety and Efficiency Report" to guide and assist the service technician's maintenance activities. It is suitable for Vehicle Inspection center, Automotive work shop & Repair center.

- LED real time display of inspection data
- Cost saving and effective software for ABS
- Compact design & Easy to use

- Simple calibration mode
- One key to start, auto operation mode
- Available for wall mount

The Excellent Company Brand of Seoul



### KOENG CO., LTD. www.koeng.com

Add : B-806, SK Twintech, 119 Gasan digital 1-ro, Geumcheon-gu, Seoul, Korea T : +82 2 838 6300 F: +82 2 839 4700 E-mail: export@koeng.com